



SETRON, cylindrical fuse link, 10 x 38 mm, 20 A, gG, Un AC: 500 V

Versiyon			
ürün marka adı	SETRON		
ürün tanımı	Silindirik sigorta		
Genel teknik veriler			
sigorta soketinin çalışma sınıfı	gG		
sigorta soketinin büyüklüğü	10x38 mm		
gerilim türü / işletim gerilimi	AC		
işletim gerilimi / AC'de / anma değeri	500 V		
Dağıtım			
güç kaybı [W] / akım anma değerinde / AC'de / sıcak işletim durumunda / kutup başına	2,4 W		
işletim akımı / AC'de / anma değeri	20 A		
Ana devre			
işletim akımı / nominal değer	20 A		
Ürün Detayı			
ürün bileşeni / darbe dedektörü	Hayır		
Mekanik Tasarım			
montaj pozisyonu	isteğe bağlı, tercihen dikey		
net ağırlık	8 g		
General Product Approval	Declaration of Conformity	Test Certificates	other



[UK Declaration of Conformity](#)



EG-Konf.

[Miscellaneous](#)

[Miscellaneous](#)

### Diğer bilgiler

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/tr/tr/Catalog/product?mlfb=3NW6007-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/tr/ps/3NW6007-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW6007-1](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW6007-1)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



