



Busbar system, accessories Busbar center-to-center spacing 40, 60 mm
Connecting terminals with thread. bolts M10 for cable lugs up to 240 mm²
Thickness of the busbars: 10 mm and TT profile

Versiyon		
ürün marka adı	SETRON	
ürün tanımı	Bağlantı klemensi	
ürün modeli	Aksesuarlar	
işletim akımı / AC'de / anma değeri	630 A	
kullanma uygunluğu	Kablo koruması ve düz ray	
Aksesuarlar		
aksesuar	bağlantı klemensi 10 mm, 240	
Bağlantılar		
bağlanabilir iletken kesit türü / bakır kablo için / çok telli	240 mm ²	
Mekanik Tasarım		
net ağırlık	360 g	
General Product Approval	Declaration of Conformity	Test Certificates



EG-Konf.

[UK Declaration of Conformity](#)

[Miscellaneous](#)

Test Certificates	Marine / Shipping	other
-------------------	-------------------	-------

[Special Test Certificate](#)



[Miscellaneous](#)

[Confirmation](#)

Diğer bilgiler

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/tr/tr/Catalog/product?mlfb=8US1941-2AC00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/tr/ps/8US1941-2AC00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1941-2AC00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



